Color and Images

Computer Science and Engineering ■ College of Engineering ■ The Ohio State University

Lecture 18

Colors in CSS


- □ Use: fonts, borders, backgrounds
- Provides semantic signal:
 Green go, success, complete, solution
 Red stop, failure, incomplete, problem
 Yellow yield, warning, attention
- Helps to set mood/emotion/tone:
 Bright cheerful, playful, positive
 Dark somber, serious, negative
 Warm energetic, alert, active
 Cool calm, tranguil, peaceful

Elementary Color Theory


Computer Science and Engineering
The Ohio State University

Combination of

- Physics: wavelengths in nm
- Biology: perception of "red" vs "yellow" vs...
- □ Visible spectrum: 390-700nm
 - Spectral colors: rainbow, single wavelength
 - Nonspectral colors (pink, brown, white...) result from presence of *multiple* wavelengths




Power Spectrum = Color



Color Perception

Computer Science and Engineering
The Ohio State University

Human eyes have 3 types of cones Respond to different wavelengths (LMS) Perceived color = eye's cone response



Metamerism


Computer Science and Engineering **■** The Ohio State University

- Different (continuous) spectra that stimulate our eyes in identical ways
 - Consequence: Different spectra with indistinguishable (to humans) color

Example: white


- Spectrum 1: all wavelengths equally present
- Spectrum 2: a few wavelengths present, stimulating LMS cones equally
- Consequence: Any continuous spectrum can be projected down to 3 components (as far as human eyes are concerned)
 - XYZ "tristimulus values"
 - Considering only the ratios between these values gives a 2D space...

CIE 1931 xy Chromaticity




Color Mixing

- □ There are two ways to combine colors
- 1. Subtractive: Color is a *filter*
 - Mixing = filter out both
 - Used for printing (& dyes, paints, gels)
- 2. Additive: Color is a *light source*
 - Mixing = sum
 - Used for monitors




CMYK: Subtractive Color Mixing

- □ Filters transmit different *spectra*
 - Mixture transmits the product of both
 - Mix all three primaries = black
- Primary colors: cyan, magenta, yellow
 - Black (K) added for quality and cost
 - Traditional set (RYB) popular for painting




Colors as Filters

Computer Science and Engineering
The Ohio State University




Rosi et al., Euro. J. of Physics, 37(6), 2016


Additive Color Mixing: RGB Cube




Color Mixing: Gamuts




HSL Color Wheel (50% Lightns)




HSL Color Space: 3D Cylinder



HSL Color Space: 3D Cylinder



HSL Grid for Red (ie 0, S, L)



CSS Color Values

Computer Science and Engineering 📕 The Ohio State University

Keywords: case-insensitive identifiers red, navy, firebrick, chocolate □ RGB as decimal (0-255), percentage, or hex rgb (255, 0, 0) /* pure red */ rgb (100%, 0%, 0%) **#**ff0000 **#**f00 /* expand by doubling each digit */ □ HSL (Hue, Saturation, Light) Hue (0-360) is angle on color wheel: 0 is red, 120 green, 240 blue Saturation & light are both %'s hsl (0, 100%, 50%) /* full bright red */ □ Alpha channel (transparency): 1 is opaque! rgba (255, 0, 0, 0.5)hsla (0, 100%, 50%, 1)


Color Keywords

aliceblue	antiquewhite	aqua	aquamarine	azure	beige
bisque		blanchedalmond	biue	blueviolet	brown
burlywood	cadetblue	chartreuse	chocolate	coral	cornflowerblue
cornsilk	crimson	cyan	da/kiilue	darkcyan	darkgoldenrod
darkgray	darkgreen	darkkhaki	darkmagenta	darkolivegreen	darkorange
darkorchid	darkred	darksalmon	darkseagreen	darkslateblue	darkslategray
darkturquoise	darkviolet	deeppink	deepskyblue	dimgray	dodgerblue
firebrick	floralwhite	forestgreen	fuchsia	gainsboro	ghostwhite
gold	goldenrod	gray	green	greenyellow	honeydew
hotpink	indianred	indigo	ivory	khaki	lavender
lavenderblush	lawngreen	lemonchiffon	lightblue	lightcoral	lightcyan
lightgoldenrodyellow	lightgray	lightgreen	lightpink	lightsalmon	lightseagreen
lightskyblue	lightslategray	lightsteelblue	lightyellow	lime	limegreen
linen	magenta	maroon	mediumaquamarine	mediumblue	mediumorchid
mediumpurple	mediumseagreen	mediumslateblue	mediumspringgreen	mediumturquoise	mediumvioletred
midnightblue	mintcream	mistyrose	moccasin	navajowhite	navy
oldlace	olive	olivedrab	orange	orangered	orchid
palegoldenrod	palegreen	paleturquoise	palevioletred	papayawhip	peachpuff
peru	pink	plum	powderblue	purple	rebeccapurple
red	rosybrown	royalblue	saddlebrown	salmon	sandybrown
seagreen	seashell	sienna	silver	skyblue	slateblue
slategray	snow	springgreen	steelblue	tan	teal
thistle	tomato	turquoise	violet	wheat	white
whitesmoke yellow yellowgreen					

Color Depth


- \square "Depth" = # of bits in representation
 - **8** bits \rightarrow 256 different colors
 - 24 bits → 16,777,216 different colors (eg 8 bits each for r, g, b)
- Alpha may be (incorrectly) included
 rgba is a point in 4-dimensional space
- Problem: image color depth > display color depth
 - Quantization: each pixel gets closest available color (leads to banding)
 - Dithering: add noise, which looks better!


Quantization of Continuous Func



Quantization vs Dithering

Computer Science and Engineering
The Ohio State University





quantized

dithered

Quantization vs Dithering



Original Image



GIF without dithering



GIF with dithering

HTML Tag Attributes

- **src:** location of image file
- width, height:
 - Area in window to reserve for image
 - Image is scaled to those dimensions
 - These attributes affect browser flow, regardless of when/if image is displayed
- alt: text to show if graphic can not be displayed or seen (ie alternative)
- title: text to augment displayed
 graphic (eg tooltip)

Image Representation

- Raster vs vector graphics
 - Raster: stored pixel-by-pixel
 - Vector: mathematical description
- Compression of raster images
 - Lossy: better compression, lower quality image
 - Lossless: largest file size, best quality

Major Formats

Computer Science and Engineering 📕 The Ohio State University


□ GIF

- Raster graphics, lossy compression (oldest)
- 8 bit, basic transparency (on/off)
- Frame-based animation (groan)
- Good for small file size, crisp lines, logos
- JPEG
 - Raster, lossy compression
 - 24 bit, no transparency
 - Good for photos, gradual gradients
- PNG
 - Raster, lossless (but still often good) compression
 - Variable depth, full alpha transparency
 - Good replacement for GIF (but no animation)
- □ SVG
 - vector graphics (newest)
 - Good for crisp lines, simple logos, graphs

Scaling Images

Computer Science and Engineering
The Ohio State University


Vector graphics scale perfectly



- □ Raster images should be *pre-scaled*
 - Width (height) attributes of image tag should match actual width (height) of image
 - □ Why?

Alternative: CSS

Computer Science and Engineering
The Ohio State University



.deleteButton { background: -webkit-linear-gradient(top, **#be6868** 0%, **#941b17** 50%, #880d07 50%, #be483c 100%); border: 3px solid #000; color: #fff; cursor: pointer; font-size: 15pt; padding: 10px 34px; text-shadow: 0 -1px 0 #000; border-radius: 13px; box-shadow: 0 1px 0 #454545;

Summary

Computer Science and Engineering
The Ohio State University

Color theory

- Perception, metamerism
- Mixing: subtractive, additive
- RGB, HSL, keywords

Images

- Quantization and dithering
- Raster graphics vs vector graphics
- Formats jpeg, png, gif, svg
- Tradeoffs of size, quality, features